

BJMC citations and references by BibTeX

(Version 1.0 from August 2020)

Introduction

Overview

Citations are managed by the P.W. Daly's `natbib.sty` package, while the list of references is formed by the bibliography style file `dcu+.bst`, a slightly modified version of the file `dcu+.bst` from the Harvard family of bibliography styles. The modifications mainly adjust the punctuation to the general rules accepted in *BJMC*; see (? , References). The `natbib.sty` package is compatible with the packages `showkeys`, `hyperref` and with the class `amsart`, but it requires `bjmc.cls`, version 1.2 or newer.

`natbib.sty` package is in standard L^AT_EX distributions and is available also from CTAN, while `dcu+.bst`, together with the local configuration file `natbib.cfg` is available from *BJMC* website.

This guide consists mainly of excerpts from (?) and some information from (?) and elsewhere. A general information about BibTeX is not included.

Loading and BibTeXing

The files are loaded in the standard fashion: use the `\usepackage{natbib}` and `\bibliography{your bib. database(s)}` commands (for instance, somewhere in the preamble) and the `\bibliographystyle{dcu+.bst}` command (where the references should be placed). No options are mandatory in the command; however, `natbib.sty` loads the configuration file `natbib.cfg`, which could be placed, say, in the working directory (or elsewhere where L^AT_EX looks for files).

To produce the `.bbl` file and to typeset the list of references, the standard four-step procedure has to be applied.

Citations

Basic commands

The `natbib.sty` package provides two basic citation commands, `\citet` and `\citep` for *textual* and *parenthetical* citations, respectively. There is no need to use `\cite` command with `natbib.sty`: `\cite` (without notes) is the same as `\citet`.

To make a citation, use the cite-key of the intended reference (indicated both in `.bib` and `.bbl` files):

`\citet{cite-key}` and `\citep{cite-key}`

For instance,

`\citet{jon90}` \Rightarrow Jones et al. (1990)

`\citep{jon90}` \Rightarrow (Jones et al., 1990)

Normally, the author list is abbreviated after the first name if there are more than two authors. However, if the reference list contains several works by Jones

written in 1990 with different co-authors, a full list of authors from the intended reference will be presented in the citation. There are also starred versions of the basic commands that always produce a full list of authors:

```
\citet*{jon90}    ⇒ Jones, Baker, and Williams (1990)
\citep*{jon90}    ⇒ (Jones, Baker, and Williams, 1990)
```

In standard L^AT_EX, the `\cite` command can only take a single optional argument for a note after the citation (a *post-note*). Both basic commands may take one or two optional arguments to add some text before and after the citation:

```
\citet[chap.~2]{jon90}    ⇒ Jones et al. (1990, chap. 2)
\citep[chap.~2]{jon90}    ⇒ (Jones et al., 1990, chap. 2)
\citep[see][]{jon90}      ⇒ (see Jones et al., 1990)
\citep[see][chap.~2]{jon90} ⇒ (see Jones et al., 1990, chap. 2)
```

Here, a single optional text is a post-note, while two are respectively the pre- and post-notes (both may contain any suitable text). To have only a pre-note, it is necessary to provide an empty post-note text, as shown above.

Multiple citations may be made by including more than one citation key in the command argument. If the produced adjacent citations should have the same author designation but different years, then the author names are not reprinted.

```
\citet{jon90,jam91}    ⇒ Jones et al. (1990); James et al. (1991)
\citep{jon90,jam91}    ⇒ (Jones et al., 1990; James et al. 1991)
\citep{jon90,jon91}    ⇒ (Jones et al., 1990, 1991)
\citep{jon90a,jon90b}  ⇒ (Jones et al., 1990a,b)
```

The package option `sort` orders the citations in a single `\citep` or `\citet` command into the sequence in which they appear in the list of references. This option is activated by including it in the `\usepackage` command:

```
\usepackage[sort]{natbib}
```

Notes are only intended for `\citep`, but they may also be used with `\citet`, with single citation. If `\citet` with multiple keys is used with notes, the pre-note will appear before each year, but the post-note only after the last year. In any other situation, also with extended commands of the next subsection, the results are usually unpredictable.

Extended commands

As an alternative form of citation, `\citealt` is the same as `\citet` but *without parentheses*. Similarly, `\citealp` is `\citep` without parentheses. Both commands have starred variants.

```
\citealt{jon90}        ⇒ Jones et al. 1990
\citealt*{jon90}       ⇒ Jones, Baker, and Williams 1990
\citealp{jon90}        ⇒ Jones et al., 1990
\citealp*{jon90}       ⇒ Jones, Baker, and Williams, 1990
\citealp{jon90,jam91}  ⇒ Jones et al., 1990; James et al., 1991
```

In author–year schemes, it is sometimes desirable to be able to refer to the authors without the year, or vice versa. This is provided with the extra

commands

```
\citeauthor{jon90}  ⇒ Jones et al.  
\citeyear{jon90}    ⇒ 1990  
\citeyearpar{jon90} ⇒ (1990)
```

The `\citeyear` command has not the starred variant. Notes can be add to `\citeauthor` and `\citeyear`; there will be no error message, but the results are sometime strange.

If the first author's name contains a *von* part, such as “della Robbia”, then `\citet{dRob98}` produces “della Robbia (1998)”, even at the beginning of a sentence. One can force the first letter to be in upper case with the command `\Citet` instead. Other upper case commands also exist.

```
when \citet{dRob98}    ⇒ della Robbia (1998)  
then \Citet{dRob98}    ⇒ Della Robbia (1998)  
     \Citep{dRob98}    ⇒ (Della Robbia, 1998)  
     \Citealt{dRob98}  ⇒ Della Robbia 1998  
     \Citealp{dRob98}  ⇒ Della Robbia, 1998  
     \Citeauthor{dRob98} ⇒ Della Robbia
```

Note: the coding for the upper casing commands is tricky and likely buggy. It operates on the names that are stored in the `\bibitem` entry, and works even if old style font commands are used; however, L^AT_EX2e commands will cause it to crash. Thus

```
\bibitem[{\it della Robbia}(1998)]{dRob98} is okay, but  
\bibitem[\textit{della Robbia}(1998)]{dRob98} crashes.
```

Reference list

Syntax of an entry in .bbl file

An alternative command `\hbibitem` is used in place of the standard `\bibitem` (it replaces `\harvarditem` in the original `cdu.bst` file). It has three arguments: the first line of the entry has the form

```
\hbibitem{name(s)}{year}{cite-key}
```

where

- *name(s)* is the author's (editor's) name or its substitute, or the full list of authors' (editors') names, that appears in a citation produced by a starred basic command; the command `\hand` in the list replaces the original `\harvardand` and produces ‘and’,
- *year* is the year (or its substitute) to appear in a citation,
- *cite-key* is the key to be used in citation commands.

Thus, the first two arguments determine the content of the citation.

The second line of the entry determines the author-year part of the reference. It contains a full list of authors or editors (now without ‘`\hand`’), which is followed by a “bracketed” year and a period after a space:

```
full-list \yearleft year\yearright .
```

The line is always ended by a period. The third line contains the description of the work itself:

`\newblock {title}, other information.`

There may occur one more block corresponding, say, to the `BIBTEX note` field.

BibTEX keys in the bibliography database

With `natbib.sty` and `dcu+.bst`, the `key` field of a bibliographic database entry is used not only for alphabetizing it (as in standard `BIBTEX`) when the author or editor is missing: in this case, the first three characters of the key are also used in place of the missing item, both in the reference text and in the citation. The year (or its substitute, see instructions in (? , About manuscript : References)) still appears in the text of the reference. For instance, the reference (?) below is produced from the following database entry:

```
@booklet{Lt,  
  key = "LNB",  
  title = {{The logical notebook. Unsolved problems in  
mathematical logic} \textup{{(R}ussian)}},  
  year = 1986,  
  howpublished = "Siberian branch of Academy of Sciences of USSR,  
Novosibirsk",  
}
```

URLs, DOIs and EDIs

In the bibliographic database, the URL of a Web document can be indicated, say, in `address` or `howpublished` field of an entry as follows:

```
howpublished = "available at \url{web address}",
```

Ugly line breaks and sticking out into a margin can be avoid by loading the `url` package from (?); it also prints Web addresses in the typewriter font. However, it prints a period nearly after the address; you may make a small correction by hand and include a space:

```
}_{.} rather than just }.
```

in the produced `.bbl` file.

DOI numbers, as well as electronic identifiers (they are substitutes for page numbers in online journals that appear also in print) are not formatted in any special way: write, say,

```
pages = "ID 1234.5678", or note = "DOI: 33.1122/321",
```

in your bibliography database.